Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42	((hand$3 adj back) or handback) adj3 (request$3 or message or respons$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:13
L2	9	((hand$3 adj back) or handback or hand-back or (transfer adj3 back)) same ((home adj location adj register$3) or (HLR) or ((visit$3 adj location adj register$3) or (VLR)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:47
L3	41	divid$3 with subscriber with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:48
L4	12	3 and ((home adj location adj register$3) or (HLR) or ((visit$3 adj location adj register$3) or (VLR)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:49
L5	879	(707/8).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 08:47
L6	4846	(707/10).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 08:47
L7	18317	((hand$3 adj back) or handback or hand-back or (transfer adj3 back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:47
L8	5465	5 or 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:47
L9	94	8 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:47

L10	15771	divid$3 near5 (database or register or (home adj location adj register$3) or (HLR) or ((visit$3 adj location adj register$3) or (VLR)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:48
L11	2	9 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:48
L12	8	4 and (back-up or backup or update)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:50
S1	8279	(home adj location adj register$3) or (HLR) or ((visit$3 adj location adj register$3) or (VLR))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:20
S2	697	(BACK$3 ADJ1 UP) WITH (PARTIAL OR SEGMENT OR PORTION OR TEMPORARY OR MAINTINACE) WITH (DATA OR INFORMATION)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:35
S3	0	S1 SAME S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:34
S4	2	S1 AND S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:34
S5	17675	(BACK$3 ADJ1 UP) WITH (DATA OR INFORMATION)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:36
S6	7464	(home adj location adj register$3) or (HLR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:51
S7	17675	S5 SAME6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:36

S8	26	S5 SAME S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:50
S9	1779	mate with ((home adj location adj register$3) or (HLR) or register or database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:20
S10	1	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:53
S11	848324	(transfer$4 or ((hand$3 or switc$3) adj2 over) or copy$3 or transmitt$4) near5 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:55
S12	8	S8 and temporarily	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:59
S13	2	S8 and (temporarily with (maintenance or stor$3 or storage) with (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:22
S14	2	("5632532").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:11
S15	2	("5623532").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:13
S16	2	("6678369").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:13
S17	70376	(mate$2 or pair) with ((home adj location adj register$3) or (HLR) or register or database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:21

S18	1193	segment$6 with (mate$2 or pair) with ((home adj location adj register$3) or (HLR) or register or database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:23
S19	70785	(temporarily with (maintenance or stor$3 or storage) with (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:22
S20	4	S18 same S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:23
S21	0	segment$6 with (mate$2) with ((home adj location adj register$3) or (HLR))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:24
S22	15	segment$6 with (mate$2) with ((home adj location adj register$3) or (HLR) or register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:41
S23	69243	segment$6 near5 (mate$2 or data or database or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:27
S24	678	S6 same "26"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:27
S25	69243	S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:27
S26	298	S6 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:27
S27	14	S6 same S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:38

S28	988	(455/433).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:38
S29	0	(455/4432.3).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:39
S30	157	(455/432.3).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:39
S31	792	(455/435.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:39
S32	1387	(455/445).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:39
S33	514	(455/424).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:40
S34	840	(455/560).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:40
S35	828	(379/219).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:44
S36	107	(379/221.03).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:41
S37	381	(379/221.01).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:41

S38	0	("peradj1(userorsubscriber)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:45
S39	25	segment$6 with (per adj1(user or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:49
S40	2	mate adj register.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:49
S41	0	hock adj sarkar.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:50
S42	0	pallab adj sarkar.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:54
S43	0	Hock adj gan.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:50
S44	2	(Hock near gan).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:55
S45	6	("6032044").URPN.	USPAT	OR	ON	2005/07/19 15:52
S46	881	(pallab nearj sarkar).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:54
S47	0	(pallab near sarkar).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:54
S48	0	(darren near kohler).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:55

S49	2	(Hock near1 gan).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:55
S50	3	HLR near migrat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:58
S51	4	HLR near3 migrat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:58
S52	863	(divid$3 or split$3) with segment$6 with (register or HLR or VLR or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:52
S53	308	S5 same (updat$3 same access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:02
S54	0	S52 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:02
S55	863	(divid$3 or split$3) with segment$6 with (register or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:03
S56	0	S55 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:13
S57	0	S55 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:03
S58	0	S55 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:03

S59	0	S55 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:03
S60	0	S55 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:03
S61	0	S55 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:03
S62	0	S55 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:04
S63	0	S55 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:04
S64	0	S55 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:04
S65	119909	(mate$2 or fisrt or second or old or new) with ((home adj location adj register$3) or (HLR) or register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:05
S66	154510	(mate$2 or first or second or old or new) with ((home adj location adj register$3) or (HLR) or register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:05
S67	43	S66 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:12
S68	457	S66 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:12

S69	0	S68 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:13
S70	0	S68 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:13
S71	0	S68 and (S30 or S31 or S32 or S33 or S34 or S35 or S36 or S37)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:14
S72	0	S68 and (S1 or S2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:14
S73	0	S68 and (S6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:15
S74	299	S68 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:15
S75	0	S68 and (data$4 near1 maintenance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:16
S76	62	S68 and (maintenance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:16
S77	1144	(707/201).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 13:33
S78	0	(maintinance near3 (data or information)) with segment$6 with temporarily	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:34

S79	0	(maintenance near3 (data or information)) with segment$6 with temporarily	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:35
S80	749	((data or information)) with segment$6 with temporarily	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:36
S81	1	S77 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:35
S82	131323	((data or information)) with (segment$6 or partial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:48
S83	51417	data near2 maintain$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:37
S84	1023	S82 same S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:43
S85	13	S77 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:37
S86	10	S84 same (back$3 adj up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:44
S87	21	S84 same ((back$3 adj up) or backup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:44
S88	115	S84 and (((back$3 adj up) or backup) near4 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:07

S89	12	S88 and (current near location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:45
S90	83	S88 and ((data or information) near2 (segment$6 or partial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 14:02
S91	749	S80 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 14:02
S92	24664	(((back$3 adj up) or backup) near4 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 14:02
S93	24	S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 14:04
S94	558	register with divid$3 with segment$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 14:04
S95	6451	(master or mate or original or old) near2 (register or HLR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:01
S96	18	S94 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 14:07
S97	25	S92 same S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:00
S98	355	partial$4 near2 ((back$3 adj up) or backup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:09

S99	8279	(home adj location adj register$3) or (HLR) or ((visit$3 adj location adj register$3) or (VLR))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:01
S10 0	517	(master or mate or original or old oe new or first or second or cascad$3) near2 (HLR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:10
S10 1	8279	S99 or S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:02
S10 2	0	S101 same S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:03
S10 3	11	S101 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:09
S10 4	0	S98 same S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:09
S10 5	11	S98 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:09
S10 6	1996	partial$4 with ((back$3 adj up) or backup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:10
S10 7	0	S106 same S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:10
S10 8	15	S106 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:10

S10 9	509	(master or mate or original or old or new or first or second or cascad$3) near2 (HLR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:57
S11 0	514179	(migrat$4 or ((back$3 adj up) or backup) or transfer$4) with (data or profile or information or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:12
S11 1	932	S99 same S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:13
S11 2	2	S111 same segment$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:15
S11 4	136	(radio adj bearer).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:19
S11 5	699	(first-type).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:19
S11 6	0	S114 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:19
S11 7	0	S115 with bearer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:20
S11 8	0	S115 same bearer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:20
S11 9	749	((data or information)) with segment$6 with temporarily	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:46

S12 0	91651	(transferr$3 or send$3 or (carry$3 adj out) or receiv$3 or transmitt$3 or migrat$5) with (partial or som$1 or portion or partition) with (data or profile or information or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:02
S12 1	16	S119 same S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:48
S12 2	228	(divid$3 or split$3) with segment$6 with (HLR or VLR or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:17
S12 3	0	S120 same S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:52
S12 4	91773	S120 and12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:52
S12 5	39	S120 and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:52
S12 6	51508	data near2 maintain$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:57
S12 7	1037	(master or mate or original or old or new or first or second or cascad$3) near4 ((home adj location adj register$3) or (HLR))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:18
S12 8	7	S120 same S127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:01
S12 9	62	S120 and S127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:01

S13 0	7	S126 and S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:07
S13 1	24923	(((back$3 adj up) or backup) near4 (data or information or profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:16
S13 2	2	S131 and S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:16
S13 3	396	active with (((back$3 adj up) or backup) near4 (data or information or profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:16
S13 4	6299	segment$6 with (HLR or VLR or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:17
S13 5	0	S133 same S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:17
S13 6	11	S133 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:17
S13 7	0	(master or mate or original or old or new or first or second or cascad$3) near4 ((home adj location adj register$3) or (HLR)) with re-mating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:19
S13 8	0	(master or mate or original or old or new or first or second or cascad$3) near4 ((home adj location adj register$3) or (HLR)) with remating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:19
S13 9	0	(master or mate or original or old or new or first or second or cascad$3) near4 ((home adj location adj register$3) or (HLR)) with remat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:19

S140	0	(master or mate or original or old or new or first or second or cascad$3) near4 ((home adj location adj register$3) or (HLR)) with r-emat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:19
S141	0	(master or mate or original or old or new or first or second or cascad$3) near4 ((home adj location adj register$3) or (HLR)) with re-mat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:19
S142	1065	(master or mat$3 or maded-pair or original or old or new or first or second or cascad$3) near4 ((home adj location adj register$3) or (HLR))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:21
S143	31	(hand$3 adj (over or off)) with (maint$5 near3 (data or information or profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:24
S144	0	S141 and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:24
S145	0	handback with request with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:26
S146	0	hand-back with request with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:26
S147	11	(hand adj back) with request with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:28
S148	2	(hand adj back) adj3 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:29
S149	3	(hand adj back) adj3 (request or message or response)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 08:12